

Message

From: Garvin, Shawn [garvin.shawn@epa.gov]
Sent: 2/5/2016 4:51:51 PM
To: Capacasa, Jon [Capacasa.jon@epa.gov]
CC: Rodrigues, Cecil [rodrigues.cecil@epa.gov]; Searfoss, Renee [searfoss.renee@epa.gov]; Melvin, Karen [Melvin.Karen@epa.gov]; Coe, Mary [Coe.Mary@epa.gov]
Subject: Re: Report out from Calls - Deliberative

Jon - I am not looking for any thing complicated, I just need a list of PFOA/PFOS sites we are working on and the levels that we are using at the sites. The longer it takes me to get the information, the longer it will take to get an appropriate path forward on this issue.

Shawn

Sent from my iPhone

On Feb 5, 2016, at 11:35 AM, Capacasa, Jon <Capacasa.jon@epa.gov> wrote:

Shawn – I just checked in with GW Enforcement Branch staff who are working to compile this. They can have it ready by Monday morning after doing some further quality checking of the sampling data we have in house for the 4-5 site locations.

Karen and Roger are out of the office today and would value their review of the list before sending it around.

Hope this meets the need.

Jon

From: Garvin, Shawn
Sent: Friday, February 05, 2016 11:06 AM
To: Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Cc: Capacasa, Jon <Capacasa.jon@epa.gov>; Searfoss, Renee <searfoss.renee@epa.gov>; Melvin, Karen <Melvin.Karen@epa.gov>; Coe, Mary <Coe.Mary@epa.gov>
Subject: Re: Report out from Calls - Deliberative

Jon - What is the status of the list I requested?

Thanks - Shawn

Sent from my iPhone

On Feb 5, 2016, at 10:29 AM, Rodrigues, Cecil <rodrigues.cecil@epa.gov> wrote:

Jon: Region II mentioned that the proposed HA level will also impact the DuPont Deepwater facility in NJ. We should coordinate with them too.

Thanks. Cecil.
Cecil Rodrigues
Deputy Regional Administrator (3DA00)
EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215.814.2683
215.814.2901 (fax)
Iphone: 215.266.2960
rodrigues.cecil@epa.gov

From: Capacasa, Jon
Sent: Thursday, February 04, 2016 2:03 PM
To: Garvin, Shawn <garvin.shawn@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Cc: Lewis, Jacqueline <Lewis.Jacqueline@epa.gov>; Ryan, Daniel <Ryan.Daniel@epa.gov>; Searfoss, Renee <searfoss.renee@epa.gov>
Subject: Report out from Calls - Deliberative

Deliberative

Shawn/Cecil - here are some summary points from the call today and yesterday on PFOA/PFOS matters.

- <!--[if !supportLists]--><!--[endif]-->OW projects a final Health Advisory by end of March 2016. Next step is presenting the science to the ORD Science Advisor Tom Burke on Feb 9 – this will largely govern whether the job will be done by March.
- <!--[if !supportLists]--><!--[endif]-->OW preparing a PFOS Desk Statement and FAQ similar to the PFOA statement for Hoosic.
- <!--[if !supportLists]--><!--[endif]-->Region 5 agreed to prepare an interim Response to Mr. Belott, Esq. who inquired about the Hoosic matter and whether this was the Agency advisory level now . Will be shared with R3 and HQs for review and concurrence – by early next week
- <!--[if !supportLists]--><!--[endif]-->Region 3 WPD will take the lead for drafting an Options Paper on Dupont Washington Works emergency order and the implications of a health advisory at a lower threshold level. The Paper will array the facts of PWSs and private wells with sample data above the proposed HA level. The ORCs will also take the lead for crafting 3-4 legal options moving forward to be included in the paper. The Options paper will be readied by middle of next week and vetted through Regions 3,5, OECA and OW and OGC.
- <!--[if !supportLists]--><!--[endif]-->Region 3 RA/DRA will be briefed on the options paper by mid next week (tentatively scheduled for Wednesday morning) and will take the lead to contact the AA's and RAs for regions 2,3 5 for the convening of a call to review the options. Decisions will be requested from the senior leadership on the options before we begin to engage parties externally on the Emergency Order in Dupont or other matters., This may take the form of a group AA/RA call or consultations as Shawn G prefers.

- <!--[if !supportLists]--><!--[endif]-->The Region 3 and 5 teams will also prepare a backgrounder on the other regional sites with sampling data to help frame the scope of the impact should the proposed HA level stay as is. .
- <!--[if !supportLists]--><!--[endif]-->Staff will continue to manage the current orders with regard to ongoing sampling and data analysis and to get prepared in the event we need to move out with a final HA number or sooner.

I can fill in other details as you need – thanks.

Jon

Jon M. Capacasa, P.E.
Director
Water Protection Division
EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215-814-5422
capacasa.jon@epa.gov